

INFORMATION DISCLOSURE STATEMENT BY APPLICANT FORM PTO-1449	Attorney Docket No.: 30.03	Serial No.: 10/007,459
	Applicant: David Lewis et al	Group: 1635 Examiner: Gibbs



U.S. PATENT DOCUMENTS

Exmnr Intl	Seq	Patent Number	Issue Date	Patentee	Class	Sub Class	Filing Date

FOREIGN PATENT OR PUBLISHED FOREIGN PATENT APPLICATION

		Document Number	Publ. Date	Country or Patent Office	Class	Sub Class	Transl. Yes No	

OTHER DOCUMENTS (Including Author, Title, Date Pertinent Pages, etc.)

28	Svoboda et al., "RNA in mouse oocytes and preimplantation embryos: effectiveness of hairpin dsRNA," Biochemical and Biophysical Research Communications; 2001, vol. 287, pp. 1099-1104
	Elbashir et al., "RNA interference is mediated by 21- and 22-nucleotide RNAs," Genes and Development; 2001, vol. 15, pp. 188-200
	Boutla et al., "Short 5'-phosphorylated double-stranded RNAs induce RNA interference in drosophila," Current Biology; 2001, vol. 11, pp. 1776-1780
	Nykanen et al., "ATP requirements and small interfering RNA structure in the RNA interference pathway," Cell; 2001, vol. 107, pp. 309-321
	Sharp "RNA interference-2001," Genes and Development; 2001, vol. 15, pp. 485-490
	Hammond et al., "An RNA-directed nuclease mediates post-transcriptional gene silencing in drosophila cells," Nature; 2000, vol. 404
	Parrish et al., "functional anatomy of a dsRNA trigger: differential requirement for the two trigger strands in RNA interference," Molecular Cell; 2000, vol. 6, pp. 1077-1087
	Yang et al., "Evidence that processed small dsRNAs may mediate sequence-specific mRNA degradation during RNAi in drosophila embryos," Current Biology; 2000, vol. 10, pp. 1191-1200
29	Zamore et al., "RNAi: double-stranded RNA directs the ATP-Dependent cleavage of mRNA at 21 to 23 nucleotide intervals," Cell; 2000, vol. 101, pp. 25-33

Paul C. [Signature]

8/10/05

	Bernstein et al., "Role for a bidentate ribonuclease in the initiation step of RNA interference," Nature; 2001, vol. 409
	Clemens et al., "The double-stranded RNA-dependent protein kinase PKR: structure and function," Journal of Interferon and Cytokine Research; 1997, vol. 17, pp. 503-524
	Tuschl et al., "Targeted mRNA degradation by double-stranded RNA in vitro," Genes and Development; 1999, vol. 13, pp. 3191-3197
	Caplen et al., "dsRNA-mediated gene silencing in cultured drosophila cells: a tissue culture model for the analysis of RNA interference," Gene; 2000, vol. 252, pp. 95-105
	Svoboda et al., "Selective reduction of dormant maternal mRNAs in mouse oocytes by RNA interference," Development; 2000, vol. 127, pp. 4147-4156
	Wianny et al., "Specific interference with gene function by double-stranded RNA in early mouse development," Cell Biology; 2000, vol. 2
	Caplen et al., "Specific inhibition of gene expression by small double-stranded RNAs in invertebrate and vertebrate systems," PNAS early edition; pp. 1-6
	Elbashir et al., "Duplexes of 21-nucleotide RNAs mediate RNA interference in cultured mammalian cells," Nature; 2001, vol. 411
	Bass "The short answer," Nature; 2001, vol. 411
	Minks et al., "Structural requirements of double-stranded RNA for the activation of 2', 5'-oligo(A) polymerase and protein kinase of interferon-treated HeLa cells," The Journal of Biological Chemistry; 1979, vol. 254, no. 20, pp. 10180-10183
	Manche et al., "Interactions between double-stranded RNA regulators and the protein kinase DAI," Molecular and Cellular Biology; 1992, pp. 5238-5248
	Player et al., "The 2-5A system: Modulation of viral and cellular processes through acceleration of RNA degradation," Pharmacol. Ther.; 1998, vol. 78, no. 2, pp. 55-113

Examiner: Initial citation considered. Draw line through citation if not in conformance and not Considered. Include copy of this form with next Action to applicant

8/10/05